



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



**Product Approval**  
 USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL46870-R1								
Application Type	Revision								
Code Version	2023								
Application Status	Approved								
Comments									
Archived	<input type="checkbox"/>								
Product Manufacturer	AA Impact Garage Door Inc								
Address/Phone/Email	2235 W 10th Court Hialeah, FL 33010 (305) 450-2993 evallejo@aaigd.com								
Authorized Signature	Eulices Alvarez evallejo@aaigd.com								
Technical Representative									
Address/Phone/Email									
Quality Assurance Representative									
Address/Phone/Email									
Category	Exterior Doors								
Subcategory	Sectional Exterior Door Assemblies								
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received								
Florida Engineer or Architect Name who developed the Evaluation Report	Javad Ahmad								
Florida License	PE-70592								
Quality Assurance Entity	Keystone Certifications, Inc.								
Quality Assurance Contract Expiration Date	02/10/2035								
Validated By	Ammad Riaz, P.E. <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received								
Certificate of Independence	<a href="#">FL46870_R1_COI_Certificate_of_Independence_JA-PE.pdf</a>								
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th><b>Standard</b></th> <th><b>Year</b></th> </tr> </thead> <tbody> <tr> <td>TAS 201</td> <td>1994</td> </tr> <tr> <td>TAS 202</td> <td>1994</td> </tr> <tr> <td>TAS 203</td> <td>1994</td> </tr> </tbody> </table>	<b>Standard</b>	<b>Year</b>	TAS 201	1994	TAS 202	1994	TAS 203	1994
<b>Standard</b>	<b>Year</b>								
TAS 201	1994								
TAS 202	1994								
TAS 203	1994								
Equivalence of Product Standards Certified By									
Sections from the Code									

Product Approval Method

Method 1 Option D

Date Submitted

02/14/2025

Date Validated

02/14/2025

Date Pending FBC Approval

02/19/2025

Date Approved

04/15/2025

**Summary of Products**

FL #	Model, Number or Name	Description
46870.1	Aluminum and Glass Sectional Garage Door 12'-0" (144") Max width (L.M.I.)	Aluminum and Glass Sectional Garage Door up to 12'-0" (144") Max width (L.M.I.)
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +50/-60 <b>Other:</b> See Drawing No. JA-1104.2-25, for anchor type and installation details.		<b>Installation Instructions</b> <a href="#">FL46870_R1_II_AAIGD-GARAGE DOOR 12ft-144in_MAX-JA-1104-25-SS.pdf</a> Verified By: Javad Ahmad PE# 70592 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL46870_R1_AE_AAIGD-Garage Door 12ft-144in_Max-LMI-PA_EVR.pdf</a> Created by Independent Third Party: Yes
46870.2	Aluminum and Glass Sectional Garage Door 16'-2" (194") Max width (L.M.I.)	Aluminum and Glass Sectional Garage Door up to 16'-2" (194") Max width (L.M.I.)
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +46/-55 <b>Other:</b> See Drawing No. JA-1104.1-25, for anchor type and installation details.		<b>Installation Instructions</b> <a href="#">FL46870_R1_II_AAIGD-GARAGE DOOR 16ft-194in_MAX-JA-1104-25-SS.pdf</a> Verified By: Javad Ahmad PE# 70595 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL46870_R1_AE_AAIGD-Garage Door 16ft-194in_Max-LMI-PA_EVR.pdf</a> Created by Independent Third Party: Yes
46870.3	Aluminum and Glass Sectional Garage Door 18'-4" (220") Max width (L.M.I.)	Aluminum and Glass Sectional Garage Door up to 18'-4" (220") Max width (L.M.I.)
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +46/-55 <b>Other:</b> See Drawing No. JA-1104-25, for anchor type and installation details.		<b>Installation Instructions</b> <a href="#">FL46870_R1_II_AAIGD-GARAGE DOOR 18ft-220in_MAX-JA-1104-25-SS.pdf</a> Verified By: Javad Ahmad PE# 70592 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL46870_R1_AE_AAIGD-Garage Door 18ft-220in_Max-LMI-PA_EVR.pdf</a> Created by Independent Third Party: Yes

[Back](#)

[Next](#)

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:





# PRODUCT EVALUATION REPORT

- Florida Building Code - 8th Edition (2023) -

Per Rule 61G20-3 / Method 1 - D

FL #: **46870.1**

DATE: **02/03/2025**

## Product Description

**Manufacturer:** AA IMPACT GARAGE DOOR  
**Address:** 2235 W 10th Court, Hialeah, FL 33010  
**Model Name:** Aluminum and Glass Sectional Garage Door 12'-0" (144") Max. Width (L.M.I.)  
**Maximum Load:** +50.0 PSF / -60.0 PSF (Large Missile Impact)  
**Drawing No.:** JA-1104.2-25, signed and sealed by Javad Ahmad, P.E. - FL License No. 70592

This product COMPLIES with the 2023 Florida Building Code - 8th Edition (2023 FBC) for use in the High-Velocity Hurricane Zone (HVHZ) per TAS 201/202/203.

For maximum sizes, combination of span vs loads and anchor type refer to installation drawings.

Comparative Analysis used:  YES  NO

### Mandatory Tests (Tested in accordance with AAMA 501 / 101 / I.S.2 / NAFS / TAS 202)

TEST	DESCRIPTION	TEST LOCATION	TEST REPORT DATE	TEST REPORT #	TEST SEALED BY
TAS 202-94	Uniform Static Test	IFET, Inc.	05/01/2024	TR-IFET-23-0018.01	Arshad Viqar, P.E.

### Supplemental Tests (Tested in accordance with TAS 201 and TAS-203)

TEST	DESCRIPTION	TEST LOCATION	TEST REPORT DATE	TEST REPORT #	TEST SEALED BY
TAS 201-94	Impact Test (Large Missile Impact)	IFET, Inc.	05/01/2024	TR-IFET-23-0018.01	Arshad Viqar, P.E.
TAS 203-94	Cyclic Wind Pressure Load	IFET, Inc.	05/01/2024	TR-IFET-23-0018.01	Arshad Viqar, P.E.

Under the limitations of the attached installation drawings, to the best of my knowledge and ability, the above product conforms to the requirements of the 2023 Florida Building Code - 8th Edition (2023 FBC).



Sealed:  
02/03/2025

Evaluation Report Engineer:

**Javad Ahmad, PE**  
 FL P.E.# 70592  
 EB C.A.N. # 34254  
 JAVAD AHMAD PE, Inc.



February 03, 2025

**Product Approval Administrator**  
**Department of Business & Professional Regulations / Codes and Standards**  
2601 Blair Stone Road  
Tallahassee, FL 32399


Ref: **Certificate of Independence JA-PE / AA IMPACT GARAGE DOOR, Inc.**

**To Whom It May Concern,**

In accordance with Rule 61G20-3, as the design engineer responsible for preparing the Product Approval(s) associated with this letter, I hereby declare that:

1. JAVAD AHMAD PE, INC does not have, nor does intend to acquire, or will acquire a financial interest in any company manufacturing or distributing products for which this evaluation report is issued.
2. JAVAD AHMAD PE, INC is not owned, operated, or controlled by any company manufacturing or distributing products for which this evaluation report is issued.
3. JAVAD AHMAD, PE does not have, nor will acquire, a financial interest in any company manufacturing or distributing products for which this evaluation report is issued.
4. JAVAD AHMAD, PE does not have, nor will acquire, a financial interest in any other entity involved in the approval process of the referenced product(s).

Sincerely,



Sealed: 02.03.2025

**Javad Ahmad, PE**  
FL P.E.# 70592  
EB C.A.N.# 34254

SHEET INDEX	
01	COVER PAGE
02	TYPICAL ELEVATION
03	GLASS DETAILS
04	ANCHOR DETAILS
05	SECTION DETAILS
06	SECTION DETAILS
07	TRACK DETAILS
08	PROFILES DETAILS
09	PROFILES DETAILS
10	HARDWARE DETAILS
11	INSTALLATION DETAILS

**ADDITIONAL DETAILS:**

FOR SPECIAL SITE CONDITION, CONTACT AA IMPACT GARAGE DOOR, INC.

TO OBTAIN AUTOCAD/REVIT COMPATIBLE DETAILS OF THIS PRODUCT, KINDLY GET IN TOUCH WITH US CONTACTING US VIA OUR OFFICIAL EMAIL ADDRESS: CONTACT@JA-PE.COM.

# ALUMINUM & GLASS SECTIONAL GARAGE DOOR 12'-0" (144") MAX. WIDTH (LARGE MISSILE IMPACT)

**GENERAL NOTES**


- THIS SYSTEM PRESENTED HEREIN HAS UNDERGONE DESIGN AND TESTING IN FULL COMPLIANCE WITH THE FLORIDA BUILDING CODE EIGHTH EDITION (2023) AND IS INTENDED FOR USE IN HIGH VELOCITY HURRICANE ZONE PER TAS 201/202/203.
- THE DESIGN PRESSURES OUTLINED IN THIS DOCUMENT ARE DERIVED FROM MAXIMUM TESTED PRESSURES AND INCORPORATE A 1.5 SAFETY FACTOR.
- THE PRESSURES PROVIDED IN THIS CERTIFICATION ARE DETERMINED USING THE ALLOWABLE STRESS DESIGN METHOD (ASD).
- THIS PRODUCT HAS BEEN RIGOROUSLY TESTED IN ACCORDANCE WITH THE STANDARDS DESCRIBED IN NOTE 1 OF THE GENERAL NOTES. IT IS CONFIRMED TO BE RESISTANT TO LARGE MISSILE IMPACT, THEREBY NOT NECESSITATING THE USE OF IMPACT-RESISTANT SHUTTERS.
- THE DESIGN OF THIS SYSTEM DOES NOT INCORPORATE A 33-1/3% INCREASE IN ALLOWABLE STRESS. FOR WOOD ANCHOR DESIGN, A WIND LOAD DURATION FACTOR OF CD=1.6 HAS BEEN EMPLOYED.
- THE ARCHITECT/ENGINEER OF RECORD RESPONSIBLE FOR THE PROJECT'S SUPERSTRUCTURE, WITH WHICH THIS DESIGN IS ASSOCIATED, SHALL ENSURE THE INTEGRITY OF ALL SUPPORTING SURFACES. COORDINATION WITH THE PERMITTING CONTRACTOR IS REQUIRED, AND PROPER ANCHORING OF WOOD BUCKS (BY OTHERS) MUST FACILITATE LOAD TRANSFER TO THE EXISTING STRUCTURE.

- THE DETAILS OF THE SYSTEM PROVIDED HEREIN ARE OF A GENERIC NATURE AND DO NOT OFFER SPECIFIC SITE INFORMATION. FOR SITE CONDITIONS THAT DIFFER FROM THOSE SPECIFIED HERE, A LICENSED ENGINEER OR REGISTERED ARCHITECT MUST PREPARE SITE-SPECIFIC DOCUMENTS FOR USE IN CONJUNCTION WITH THIS CERTIFICATION.
- THE CONTRACTOR IS ACCOUNTABLE FOR INSULATING ALL MEMBERS FROM DISSIMILAR MATERIALS TO PREVENT ELECTROLYSIS (E.G., STEEL WITH ALUMINUM).
- THE SUBSTITUTION OF FASTENERS DESCRIBED IN THIS CERTIFICATION IS PERMISSIBLE, PROVIDED THE ALTERNATIVE ANCHOR EXHIBITS STRENGTH EQUAL TO OR GREATER THAN THE ORIGINALLY SPECIFIED FINAL APPROVAL OF SUBSTITUTED ANCHORS SHALL BE GRANTED BY RELEVANT AUTHORITIES.
- THE WOOD SCREWS REFERENCED IN THIS CERTIFICATION MUST MEET A MINIMUM GRADE OF 2 (fu = 74,000 PSI).
- THE ENGINEER'S SEAL AFFIXED HERE VALIDATES THE STRUCTURAL DESIGN AS PRESENTED SOLELY. ANY USE OF THIS SPECIFICATION BY THE CONTRACTOR OR OTHERS INDEMNIFIES AND SAVES THE ENGINEER HARMLESS FROM ALL COSTS AND DAMAGES, INCLUDING LEGAL FEES AND APPELLATE FEES ARISING FROM MATERIAL FABRICATION, SYSTEM ERECTION, AND CONSTRUCTION PRACTICES BEYOND THE SCOPE CALLED FOR BY LOCAL, STATE, AND FEDERAL CODES OR DEVIATIONS FROM THE PLAN.

- NO ADDITIONAL CERTIFICATIONS OR AFFIRMATIONS ARE INTENDED BEYOND WHAT IS EXPRESSLY PROVIDED IN THIS DOCUMENT.
- ALTERATIONS, ADDITIONS, OR ANY MARKINGS TO THIS DOCUMENT ARE STRICTLY PROHIBITED AND WILL INVALIDATE THIS CERTIFICATION.
- PROPER SAFETY MEASURES MUST BE OBSERVED DURING THE INSTALLATION AND USE OF THIS SYSTEM, EVEN THOUGH THEY ARE NOT EXPLICITLY LISTED IN THIS CERTIFICATION.
- EACH PRODUCT SHALL BE PERMANENTLY LABELED WITH A MINIMUM OF ONE LABEL PER SYSTEM, CONTAINING THE FOLLOWING REQUIRED INFORMATION:  
AA IMPACT GARAGE DOOR, INC.  
2235 W 10TH CT,  
HIALEAH, FL 33010

FLORIDA PRODUCT APPROVAL FL# 46870.1  
**THIS PRODUCT IS APPROVED FOR IMPACT RESISTANT LEVEL 'D'**

**FL# 46870.1**




**JAVAD AHMAD PE, inc**  
8800 NW 23rd St, Miami FL 33172  
Ph: (305) 424-8001  
contact@ja-pe.com

ALUM/GLASS SECTIONAL GARAGE DOOR 12'-0" (144") MAX. WIDTH(L.M.I)  
AA IMPACT GARAGE DOOR, INC.  
2235 W 10TH CT.  
HIALEAH, FL 33010  
PHONE: 305.450.2993


REVISION	No.	DATE	BY	DESCRIPTION

date:	scale:	drawn by:	check by:	M.S.	H.T.	DRAWING NO.
12-20-2024						JA-1104.2-25



CONSULTING • STRUCTURAL DESIGN • FACADES • BUILDING ENVELOPE • SYSTEM DESIGN • PRODUCT APPROVALS

# TYPICAL ELEVATION




## GENERAL NOTES:

- THIS PRODUCT EVALUATION DOCUMENT (P.E.D.) PREPARED BY THIS ENGINEER IS GENERIC AND DOES NOT PROVIDE INFORMATION FOR A SITE SPECIFIC PROJECT; i.e. WHERE THE SITE CONDITIONS DEVIATE FROM THE P.E.D.
- CONTRACTOR TO BE RESPONSIBLE FOR THE SELECTION, PURCHASE AND INSTALLATION OF THIS PRODUCT BASED ON THIS PRODUCT EVALUATION PROVIDED HE/SHE DOES NOT DEVIATE FROM THE CONDITIONS DETAILED ON THIS DOCUMENT.
- THIS PRODUCT EVALUATION DOCUMENT WILL BE CONSIDERED INVALID IF ALTERED BY ANY MEANS.
- SITE SPECIFIC PROJECTS SHALL BE PREPARED BY A FLORIDA REGISTERED ENGINEER OR ARCHITECT WHICH WILL BECOME THE ENGINEER OF RECORD (E.O.R.) FOR THE PROJECT AND WHO WILL BE RESPONSIBLE FOR THE PROPER USE OF THE P.E.D. ENGINEER OF RECORD, ACTING AS A DELEGATED ENGINEER TO THE P.E.D. ENGINEER SHALL SUBMIT TO THIS LATTER THE SITE SPECIFIC DRAWINGS FOR REVIEW.
- THIS P.E.D. SHALL BEAR THE DATE AND ORIGINAL SEAL AND SIGNATURE OF THE PROFESSIONAL ENGINEER OF RECORD THAT PREPARED IT.

## 144" ALUMINUM / GLASS SECTIONAL GARAGE DOOR

THIS DOOR IS RATED FOR LARGE MISSILE IMPACT.  
 MAX. FRAME AND GLASS DIMENSIONS AS SHOWN ON TYPICAL ELEVATION. SEE GLASS SPECS ON SHEET# 03  
 MAX. ALLOWABLE PRESSURES = +50.0 / -60.0 PSF



**JAVAD AHMAD PE, inc**  
 8800 NW 23rd St, Miami FL 33172  
 Ph: (305) 424-8001  
 contact@ja-pe.com

ALUM/GLASS SECTIONAL GARAGE DOOR 12'-0" (144") MAX. WIDTH(L.M.I)  
 AA IMPACT GARAGE DOOR, INC.  
 2235 W 10TH CT.  
 HIALEAH, FL 33010  
 PHONE: 305.450.2993

REVISION		DESCRIPTION
No.	DATE	BY

date:	12-20-2024	scale:	M.S.	drawn by:	M.S.	check by:	H.T.	DRAWING NO.	JA-1104.2-25
-------	------------	--------	------	-----------	------	-----------	------	-------------	--------------

Eng: JAVAD AHMAD - CIVIL  
 FLA PE #70592 / C.A.N. 34254  
  
 SEALED: 02-03-2025



## SYSTEM ANCHORS:


- M1** 1/4" DIA. TEKS OF SELF DRILLING SCREWS (GALVANIZED STEEL)  
WITH (3) THREAD MIN. PENETRATION BEYOND 1/8" MIN. THK. METAL  
1/2" MIN. METAL E.D.
- M2** #10 SMS OR SELF DRILLING SCREWS (316 STAINLESS STEEL)  
WITH (3) THREAD MIN. PENETRATION BEYOND 1/8" MIN. THK. METAL  
1/2" MIN. METAL E.D.  
(3) ON EACH SIDE @ 5/8" O.C. SPACING
- M3** #8 SMS FH UNDERCUT SCREWS (316 STAINLESS STEEL)  
WITH (3) THREAD MIN. PENETRATION BEYOND 1/8" MIN. THK. METAL  
1/2" MIN. METAL E.D.  
(4) SCREWS AT EACH CONNECTION.
- M4** #1/4-20 X 9/16" CARRIAGE BOLT WITH WASHERED NUT  
AT 4" MAX. FROM ENDS.  
6" O.C. MAX.

## SUBSTRATE ANCHORS:


- M5** 5/16" DIA. ULTRACON BY 'DEWALT' (Fu=177 KSI, Fy=155 KSI)  
THRU 1BY OR 2BY BUCKS INTO CONCRETE  
2" MIN. EMBED. INTO CONCRETE  
4" FROM BOTTOM AND 6" O.C. MAX.  
  
DIRECTLY INTO CONCRETE  
2" MIN. EMBED INTO CONCRETE  
4" FROM BOTTOM AND 6" O.C. MAX.
- M6** 3/8" DIA. KWIK BOLT 3 EXPANSION ANCHOR BY 'HILTI'  
DIRECTLY INTO MASONRY  
2-1/2" MIN. EMBED INTO FILLED BLOCKS  
AT 4" FROM BOTTOM AND 6" O.C. MAX.
- M7** 5/16" DIA. DRIL-FLEX SCREWS BY 'DEWALT' (Fu=100 KSI, Fy=65 KSI)  
INTO METAL STRUCTURES  
STEEL: 1/8" THK. MIN. (Fy=36 KSI MIN.)  
(STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)  
AT 4" FROM BOTTOM AND 6" O.C. MAX.
- M8** 5/16" DIA. LAG SCREWS BY 'DEWALT'  
INTO WOOD STRUCTURES  
2" MIN. PENETRATION INTO WOOD  
AT 4" FROM BOTTOM AND 6" O.C. MAX.

## SUBSTRATE EDGE DISTANCE:

INTO CONCRETE = 3-1/8" MIN.  
INTO FILLED BLOCKS = 4" MIN.  
INTO WOOD STRUCTURES = 1-1/2" MIN.  
INTO METAL STRUCTURE = 1" MIN.  
  
WOOD SG = 0.55 MIN.  
CONCRETE  $f_c$  = 3000 PSI MIN.  
C-90 GROUT FILLED BLOCK  $f_m$  = 2000 PSI MIN.



FL# 46870.1



**JAVAD AHMAD PE, inc**  
8800 NW 23rd St, Miami FL  
33172  
Ph: (305) 424-8001  
contact@ja-pe.com

ALUM/GLASS SECTIONAL  
GARAGE DOOR 12'-0" (144")  
MAX. WIDTH (L.M.I.)  
  
AA IMPACT GARAGE DOOR, INC.  
2235 W 10TH CT.  
HIALEAH, FL 33010  
PHONE: 305.450.2993

REVISION		DESCRIPTION
No.	DATE	BY


date:	12-20-2024	drawn by:	M.S.	check by:	H.T.	DRAWING NO. JA-1104.2-25
scale:						

Eng: JAVAD AHMAD - CIVIL  
FLA PE #70592 / C.A.N. 34254  
  
  
 SEaled: 02-03-2025

ANCHORS SHEET No.  
04 OF 11

CONSULTING • STRUCTURAL DESIGN • FACADES • BUILDING ENVELOPE • SYSTEM DESIGN • PRODUCT APPROVALS






**JAVAD AHMAD PE, inc**  
 8800 NW 23rd St, Miami FL 33172  
 Ph: (305) 424-8001  
 contact@ja-pe.com

ALUM/GLASS SECTIONAL GARAGE DOOR 12'-0" (144") MAX. WIDTH(L.M.I)  
 AA IMPACT GARAGE DOOR, INC.  
 2235 W 10TH CT.  
 HIALEAH, FL 33010  
 PHONE: 305.450.2993

CONSULTING • STRUCTURAL DESIGN • FACADES • BUILDING ENVELOPE • SYSTEM DESIGN • PRODUCT APPROVALS




REVISION No.	DATE	BY	DESCRIPTION

date:	12-20-2024	drawn by:	M.S.	check by:	H.T.	DRAWING NO.	JA-1104.2-25
scale:							

Eng: JAVAD AHMAD - CIVIL  
 FLA PE #70592 / C.A.N. 34254

SEALED: 02-03-2025

FL# 46870.1



BRACKET ANCHORS  
(2) INTO CONCRETE

BRACKET ANCHORS  
(3) INTO WOOD

**NOTE:**  
IT SHALL BE VERIFIED THAT THE CEILING STRUCTURE CAN SUSTAIN LOADS IMPOSED BY THE DOOR WHEN LEFT IN OPEN POSITION. BRACES MAY BE MOVED IN ORDER TO ENGAGE THE CEILING STRUCTURE. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND ALL CEILING NON STRUCTURAL MATERIAL STUCCO OR CEILING DRESSING.



**SUPPORT BRACKET AT EACH TRACK**  
BRACKETS RUN PERPENDICULAR TO TRACKS. FRONT AND END BRACKETS TO BE SPACED AS SHOWN ABOVE. ADDITIONAL INTERMEDIATE BRACKETS TO BE INSTALLED FOR SPACING 48" MAXIMUM IN BETWEEN FRONT AND END BRACKETS. (MINIMUM OF 2 BRACKETS PER TRACK)

**BRACKET ANCHORS:**

(3) 5/16" DIA. LAG SCREWS BY 'DEWALT' INTO WOOD STRUCTURES, (S.G.=0.50) 1-1/2" MIN. PENETRATION

(2) 1/4" DIA. ULTRACON+ BY 'DEWALT' Fu=164 KSI, F=148 KSI INTO CONCRETE, (3000 PSI MIN.) 1-3/4" MIN. EMBED

ANCHORING TO CEILING OTHER THAN WOOD OR CONCRETE TO BE REVIEWED SEPARATELY.



VERTICAL LIFT      HIGH LIFT      STANDARD LIFT

AVAILABLE TRACK OPTIONS



**JAVAD AHMAD PE, inc**  
8800 NW 23rd St, Miami FL 33172  
Ph: (305) 424-8001  
contact@ja-pe.com

ALUM/GLASS SECTIONAL GARAGE DOOR 12'-0" (144") MAX. WIDTH (L.M.I.)  
AA IMPACT GARAGE DOOR, INC.  
2235 W 10TH CT.  
HIALEAH, FL 33010  
PHONE: 305.450.2993

No.	REVISION	
	DATE	DESCRIPTION


date:	12-20-2024	drawn by:	M.S.	check by:	H.T.	DRAWING NO. JA-1104.2-25
scale:						

Eng: JAVAD AHMAD - CIVIL  
FLA PE #70592 / C.A.N. 34254


SEALED: 02-03-2025

FL# 46870.1


CONSULTING • STRUCTURAL DESIGN • FACADES • BUILDING ENVELOPE • SYSTEM DESIGN • PRODUCT APPROVALS




**1** TOP / BOTTOM RAIL




**2** VERTICAL STILE




**3** INTERMEDIATE RAIL




**5** DIVIDER STILE




**6A** GLASS STOP  
(5/16" GLASS)




**6B** GLASS STOP  
(7/16" GLASS)




**6C** GLASS STOP  
(INSUL. LAM. GLASS)




**7** JAMB SEAL




**8** JAMB SEAL BASE



**9** DOOR TRACK (2" OPT.)



**9A** DOOR TRACK (3" OPT.)




**JAVAD AHMAD PE, inc**  
 8800 NW 23rd St, Miami FL 33172  
 Ph: (305) 424-8001  
 contact@ja-pe.com

ALUM/GLASS SECTIONAL  
 GARAGE DOOR 12'-0" (144")  
 MAX. WIDTH(L.M.I)  
 AA IMPACT GARAGE DOOR, INC.  
 2235 W 10TH CT.  
 HIALEAH, FL 33010  
 PHONE: 305.450.2993

REVISION		DESCRIPTION
No.	DATE	BY

date:	12-20-2024	scale:	M.S.	drawn by:	M.S.	check by:	H.T.	DRAWING NO. JA-1104.2-25






Eng: JAVAD AHMAD - CIVIL  
 FLA PE #70592 / C.A.N. 34254

FL# 46870.1




PROFILES SHEET No. 08 OF 11

CONSULTING • STRUCTURAL DESIGN • FACADES • BUILDING ENVELOPE • SYSTEM DESIGN • PRODUCT APPROVALS











**#2 ROLLER HINGE**





**#3 ROLLER HINGE**









**#4 ROLLER HINGE**




**#5 ROLLER HINGE**



**CUT DOWN HINGES**



FL# 46870.1



**JAVAD AHMAD PE, inc**  
 8800 NW 23rd St, Miami FL 33172  
 Ph: (305) 424-8001  
 contact@ja-pe.com

CONSULTING • STRUCTURAL DESIGN • FACADES • BUILDING ENVELOPE • SYSTEM DESIGN • PRODUCT APPROVALS

ALUM/GLASS SECTIONAL GARAGE DOOR 12'-0" (144") MAX. WIDTH(L.M.I)  
 AA IMPACT GARAGE DOOR, INC.  
 2235 W 10TH CT.  
 HIALEAH, FL 33010  
 PHONE: 305.450.2993

REVISION		DESCRIPTION
No.	DATE	BY

date:	12-20-2024	M.S.	H.T.
scale:			
drawn by:			
check by:			
DRAWING NO. JA-1104.2-25			

Eng: JAVAD AHMAD - CIVIL  
 FLA PE #70592 / C.A.N. 34254

SEALED: 02-03-2025

